



## OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of  
NSF/ANSI 51 - Food Equipment Materials

This is the Official Listing recorded on May 15, 2023.

**Caesarstone Ltd.**  
**Kibbutz Sdot Yam**  
**M.P. Menashe 37804**  
**Israel**  
**877-978-2789**  
**818-394-6000**

**Facility: M.P. Menashe, Israel**

Trade Designation	Color	Type of food	Maximum Temperature of Use in °F
Quartz Surfacing for Food Zone[1] CaesarStone® 1001	Riverlet	All food contact types	300°
CaesarStone® 1002	Wyndigo	All food contact types	300°
CaesarStone® 1003	Raindream	All food contact types	300°
CaesarStone® 1004	Stoneburst	All food contact types	300°
CaesarStone® 1006	Agger Grey	All food contact types	300°
CaesarStone® 1111	Vivid White	All food contact types	300°
CaesarStone® 1141	Pure White	All food contact types	300°
CaesarStone® 2003	Concrete/Gunpowder	All food contact types	300°
CaesarStone® 2030	Haze	All food contact types	300°
CaesarStone® 2040	Urban	All food contact types	300°
CaesarStone® 2141	Blizzard/Snow	All food contact types	300°
CaesarStone® 2230	Linen	All food contact types	300°
CaesarStone® 3040	Cement/Titan	All food contact types	300°
CaesarStone® 3100	Jet Black	All food contact types	300°
CaesarStone® 3101	Piatto Black	All food contact types	300°
CaesarStone® 3141	Egg Shell/Osprey	All food contact types	300°
CaesarStone® 3142	White Shimmer	All food contact types	300°
CaesarStone® 3200	Baja/Bondi	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.

1 of 11



CaesarStone® 3350	Walnut	All food contact types	300°
CaesarStone® 4001	Fresh Concrete	All food contact types	300°
CaesarStone® 4003	Sleek Concrete	All food contact types	300°
CaesarStone® 4004	Raw Concrete	All food contact types	300°
CaesarStone® 4011	Cloudburst Concrete	All food contact types	300°
CaesarStone® 4023	Topus Concrete	All food contact types	300°
CaesarStone® 4030	Pebble/Oyster/Stone Grey	All food contact types	300°
CaesarStone® 4033	Rugged Concrete	All food contact types	300°
CaesarStone® 4043	Primordia	All food contact types	300°
CaesarStone® 4044	Airy Concrete	All food contact types	300°
CaesarStone® 4046	Excava	All food contact types	300°
CaesarStone® 405	Midday	All food contact types	185°
CaesarStone® 406	Clearskies	All food contact types	185°
CaesarStone® 4120	Raven	All food contact types	300°
CaesarStone® 4130	Clamshell	All food contact types	300°
CaesarStone® 4141	Misty Carrera/Ice Cap	All food contact types	300°
CaesarStone® 4220	Buttermilk	All food contact types	300°
CaesarStone® 4230	Shitake	All food contact types	300°
CaesarStone® 4255	Crème Brule	All food contact types	300°
CaesarStone® 4330	Ginger	All food contact types	300°
CaesarStone® 4350	Lagos Blue/Mink	All food contact types	300°
CaesarStone® 4360	Wild Rice	All food contact types	300°
CaesarStone® 4600	Organic White	All food contact types	300°
CaesarStone® 4601	Frozen Terra	All food contact types	300°
CaesarStone® 4606	White Terazzo	All food contact types	300°
CaesarStone® 4643	Flannel Grey	All food contact types	300°
CaesarStone® 4735	Oxidian	All food contact types	300°
CaesarStone® 5000	London Grey	All food contact types	300°
CaesarStone® 5003	Piatra Grey	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



CaesarStone® 5031	Statuario Maximus	All food contact types	300°
CaesarStone® 5043	Montblanc	All food contact types	300°
CaesarStone® 5100	Vanilla Noir	All food contact types	300°
CaesarStone® 5101	Empira Black	All food contact types	300°
CaesarStone® 5110	Alpine Mist	All food contact types	300°
CaesarStone® 5111	Statuario Nuvo	All food contact types	300°
CaesarStone® 5112	Lincoln	All food contact types	300°
CaesarStone® 5113	Solenna	All food contact types	300°
CaesarStone® 5114	Calacatta Maximus	All food contact types	300°
CaesarStone® 5121	Loyalite	All food contact types	300°
CaesarStone® 5130	Cosmopolitan White	All food contact types	300°
CaesarStone® 5131	Calacatta Nuvo	All food contact types	300°
CaesarStone® 5133	Symphony Grey	All food contact types	300°
CaesarStone® 5134	Urban Safari	All food contact types	300°
CaesarStone® 5140	Dreamy Carrera	All food contact types	300°
CaesarStone® 5141	Frosty Carrina	All food contact types	300°
CaesarStone® 5143	White Attica	All food contact types	300°
CaesarStone® 515	Palm Shade	All food contact types	185°
CaesarStone® 5151	Empira White	All food contact types	300°
CaesarStone® 5161	Icellion	All food contact types	300°
CaesarStone® 5171	Arabetto	All food contact types	300°
CaesarStone® 521	Moongaze	All food contact types	185°
CaesarStone® 5211	Noble Grey	All food contact types	300°
CaesarStone® 5212	Taj Royale	All food contact types	300°
CaesarStone® 5220	Dreamy Marfil	All food contact types	300°
CaesarStone® 5222	Sandstone	All food contact types	300°
CaesarStone® 5310	Brillianza	All food contact types	300°
CaesarStone® 5380	Emperadoro Dark	All food contact types	300°
CaesarStone® 5434	Grey	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



CaesarStone® 5810	Black Tempal	All food contact types	300°
CaesarStone® 5820	Darcrest	All food contact types	300°
CaesarStone® 6003	Coastal Grey	All food contact types	300°
CaesarStone® 6011	Intense White (Maple)	All food contact types	300°
CaesarStone® 6041	Nordic Loft	All food contact types	300°
CaesarStone® 6046	Moorland Fog	All food contact types	300°
CaesarStone® 6100	Black Noir/Night Sky/Absolute Noir	All food contact types	300°
CaesarStone® 6131	Bianco Drift	All food contact types	300°
CaesarStone® 6134	Georgian Bluffs	All food contact types	300°
CaesarStone® 6141	Ocean Foam	All food contact types	300°
CaesarStone® 6270	Atlantic Salt	All food contact types	300°
CaesarStone® 6313	Turbine Grey	All food contact types	300°
CaesarStone® 6338	Woodlands	All food contact types	300°
CaesarStone® 6600	Nougat	All food contact types	300°
CaesarStone® 6611	Himalayan Moon	All food contact types	300°
CaesarStone® 7141	White Reflections/Nova Aurora	All food contact types	300°
CaesarStone® 9141	Ice Snow	All food contact types	300°

[1] Not intended for direct contact when used in storage applications.

[2] Splash zone items are also acceptable for use in non-food zones.

[3] Available in glossy or honed surface texture.

[4] Available in color designations 0001-7999 and 9001-9999.

[5] Available in color designations 8001-8999.

**Facility: Misgov, Israel**

Trade Designation	Color	Type of food	Maximum Temperature of Use in °F
Quartz Surfacing for Food Zone[1]			
CaesarStone® 1001	Dirty White Pebbles	All food contact types	300°
CaesarStone® 1002	Wyndigo	All food contact types	300°
CaesarStone® 1003	Dark Grey Pebbles	All food contact types	300°
CaesarStone® 1004	Light Grey Pebbles	All food contact types	300°
CaesarStone® 1006	Agger Grey	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



CaesarStone® 1111	Vivid White	All food contact types	300°
CaesarStone® 1141	Pure White	All food contact types	300°
CaesarStone® 2003	Concrete/Gunpowder	All food contact types	300°
CaesarStone® 2030	Haze	All food contact types	300°
CaesarStone® 2040	Urban	All food contact types	300°
CaesarStone® 2141	Blizzard/Snow	All food contact types	300°
CaesarStone® 2230	Linen	All food contact types	300°
CaesarStone® 3040	Cement/Titan	All food contact types	300°
CaesarStone® 3100	Jet Black	All food contact types	300°
CaesarStone® 3101	Piatto Black	All food contact types	300°
CaesarStone® 3141	Egg Shell/Osprey	All food contact types	300°
CaesarStone® 3142	White Shimmer	All food contact types	300°
CaesarStone® 3200	Baja/Bondi	All food contact types	300°
CaesarStone® 3350	Walnut	All food contact types	300°
CaesarStone® 4001	Fresh Concrete	All food contact types	300°
CaesarStone® 4003	Sleek Concrete	All food contact types	300°
CaesarStone® 4004	Raw Concrete	All food contact types	300°
CaesarStone® 4011	Cloudburst Concrete	All food contact types	300°
CaesarStone® 4023	Topus Concrete	All food contact types	300°
CaesarStone® 4030	Pebble/Oyster/Stone Grey	All food contact types	300°
CaesarStone® 4033	Rugged Concrete	All food contact types	300°
CaesarStone® 4043	Primordia	All food contact types	300°
CaesarStone® 4044	Airy Concrete	All food contact types	300°
CaesarStone® 4046	Excava	All food contact types	300°
CaesarStone® 4120	Raven	All food contact types	300°
CaesarStone® 4130	Clamshell	All food contact types	300°
CaesarStone® 4141	Misty Carrera/Ice Cap	All food contact types	300°
CaesarStone® 4220	Buttermilk	All food contact types	300°
CaesarStone® 4230	Shitake	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



CaesarStone® 4255	Crème Brule	All food contact types	300°
CaesarStone® 4330	Ginger	All food contact types	300°
CaesarStone® 4350	Lagos Blue/Mink	All food contact types	300°
CaesarStone® 4360	Wild Rice	All food contact types	300°
CaesarStone® 4600	Organic White	All food contact types	300°
CaesarStone® 4601	Frozen Terra	All food contact types	300°
CaesarStone® 4606	White Terazzo	All food contact types	300°
CaesarStone® 4643	Flannel Grey	All food contact types	300°
CaesarStone® 4735	Oxidian	All food contact types	300°
CaesarStone® 5000	London Grey	All food contact types	300°
CaesarStone® 5003	Piatra Grey	All food contact types	300°
CaesarStone® 5031	Statuario Maximus	All food contact types	300°
CaesarStone® 5043	Montblanc	All food contact types	300°
CaesarStone® 5100	Vanilla Noir	All food contact types	300°
CaesarStone® 5101	Empira Black	All food contact types	300°
CaesarStone® 5110	Alpine Mist	All food contact types	300°
CaesarStone® 5111	Statuario Nuvo	All food contact types	300°
CaesarStone® 5112	Lincoln	All food contact types	300°
CaesarStone® 5113	Solenna	All food contact types	300°
CaesarStone® 5114	Calacatta Maximus	All food contact types	300°
CaesarStone® 5121	Layalite	All food contact types	300°
CaesarStone® 5130	Cosmopolitan White	All food contact types	300°
CaesarStone® 5131	Calacatta Nuvo	All food contact types	300°
CaesarStone® 5133	Symphony Grey	All food contact types	300°
CaesarStone® 5134	Urban Safari	All food contact types	0300°
CaesarStone® 5140	Dreamy Carrera	All food contact types	300°
CaesarStone® 5141	Frosty Carrina	All food contact types	300°
CaesarStone® 5143	White Attica	All food contact types	300°
CaesarStone® 5151	Empira White	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



CaesarStone® 5161	Icellion	All food contact types	300°
CaesarStone® 5171	Arabetto	All food contact types	300°
CaesarStone® 5211	Noble Grey	All food contact types	300°
CaesarStone® 5212	Taj Royale	All food contact types	300°
CaesarStone® 5220	Dreamy Marfil	All food contact types	300°
CaesarStone® 5222	Sandstone	All food contact types	300°
CaesarStone® 5310	Brillianza	All food contact types	300°
CaesarStone® 5380	Emperadoro Dark	All food contact types	300°
CaesarStone® 5434	Grey	All food contact types	300°
CaesarStone® 5810	Black Tempal	All food contact types	300°
CaesarStone® 5820	Darcrest	All food contact types	300°
CaesarStone® 6003	Coastal Grey	All food contact types	300°
CaesarStone® 6011	Intense White (Maple)	All food contact types	300°
CaesarStone® 6041	Nordic Loft	All food contact types	300°
CaesarStone® 6046	Moorland Fog	All food contact types	300°
CaesarStone® 6100	Black Noir/Night Sky/Absolute Noir	All food contact types	300°
CaesarStone® 6131	Bianco Drift	All food contact types	300°
CaesarStone® 6134	Georgian Bluffs	All food contact types	300°
CaesarStone® 6141	Ocean Foam	All food contact types	300°
CaesarStone® 6270	Atlantic Salt	All food contact types	300°
CaesarStone® 6313	Turbine Grey	All food contact types	300°
CaesarStone® 6338	Woodlands	All food contact types	300°
CaesarStone® 6600	Nougat	All food contact types	300°
CaesarStone® 6611	Himalayan Moon	All food contact types	300°
CaesarStone® 7141	White Reflections/Nova Aurora	All food contact types	300°
CaesarStone® 9141	Ice Snow	All food contact types	300°

[1] Not intended for direct contact when used in storage applications.

[2] Splash zone items are also acceptable for use in non-food zones.

[3] Available in glossy or honed surface texture.

[4] Available in color designations 0001-7999 and 9001-9999.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



[5] Available in color designations 8001-8999.

Facility: Richmond Hill, Georgia

Trade Designation	Color	Type of food	Maximum Temperature of Use in °F
Quartz Surfacing for Food Zone[1]			
CaesarStone® 1001	Riverlet	All food contact types	300°
CaesarStone® 1002	Wyndigo	All food contact types	300°
CaesarStone® 1003	Raindream	All food contact types	300°
CaesarStone® 1004	Stoneburst	All food contact types	300°
CaesarStone® 1006	Agger Grey	All food contact types	300°
CaesarStone® 1111	Vivid White	All food contact types	300°
CaesarStone® 1141	Pure White	All food contact types	300°
CaesarStone® 2003	Concrete/Gunpowder	All food contact types	300°
CaesarStone® 2030	Haze	All food contact types	300°
CaesarStone® 2040	Urban	All food contact types	300°
CaesarStone® 2141	Blizzard/Snow	All food contact types	300°
CaesarStone® 2230	Linen	All food contact types	300°
CaesarStone® 3040	Cement/Titan	All food contact types	300°
CaesarStone® 3100	Jet Black	All food contact types	300°
CaesarStone® 3101	Piatto Black	All food contact types	300°
CaesarStone® 3141	Egg Shell/Osprey	All food contact types	300°
CaesarStone® 3142	White Shimmer	All food contact types	300°
CaesarStone® 3200	Baja/Bondi	All food contact types	300°
CaesarStone® 3350	Walnut	All food contact types	300°
CaesarStone® 4001	Fresh Concrete	All food contact types	300°
CaesarStone® 4003	Sleek Concrete	All food contact types	300°
CaesarStone® 4004	Raw Concrete	All food contact types	300°
CaesarStone® 4011	Cloudburst Concrete	All contact types	300°
CaesarStone® 4023	Topus Concrete	All food contact types	300°
CaesarStone® 4030	Pebble/Oyster/Stone Grey	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.





CaesarStone® 4033	Rugged Concrete	All food contact types	300°
CaesarStone® 4043	Primordia	All food contact types	300°
CaesarStone® 4044	Airy Concrete	All food contact types	300°
CaesarStone® 4046	Excava	All food contact types	300°
CaesarStone® 4120	Raven	All food contact types	300°
CaesarStone® 4130	Clamshell	All food contact types	300°
CaesarStone® 4141	Misty Carrera/Ice Cap	All food contact types	300°
CaesarStone® 4220	Buttermilk	All food contact types	300°
CaesarStone® 4230	Shitake	All food contact types	300°
CaesarStone® 4255	Crème Brule	All food contact types	300°
CaesarStone® 4330	Ginger	All food contact types	300°
CaesarStone® 4350	Lagos Blue/Mink	All food contact types	300°
CaesarStone® 4360	Wild Rice	All food contact types	300°
CaesarStone® 4600	Organic White	All food contact types	300°
CaesarStone® 4601	Frozen Terra	All food contact types	300°
CaesarStone® 4606	White Terazzo	All food contact types	300°
CaesarStone® 4643	Flannel Grey	All food contact types	300°
CaesarStone® 4735	Oxidian	All food contact types	300°
CaesarStone® 5000	London Grey	All food contact types	300°
CaesarStone® 5003	Piatra Grey	All food contact types	300°
CaesarStone® 5031	Statuario Maximus	All food contact types	300°
CaesarStone® 5043	Montblanc	All food contact types	300°
CaesarStone® 5100	Vanilla Noir	All food contact types	300°
CaesarStone® 5101	Empira Black	All food contact types	300°
CaesarStone® 5110	Alpine Mist	All food contact types	300°
CaesarStone® 5111	Statuario Nuvo	All food contact types	300°
CaesarStone® 5112	Lincoln	All food contact types	300°
CaesarStone® 5113	Solenna	All food contact types	300°
CaesarStone® 5114	Calacatta Maximus	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



CaesarStone® 5121	Layalite	All food contact types	300°
CaesarStone® 5130	Cosmopolitan White	All food contact types	300°
CaesarStone® 5131	Calacatta Nuvo	All food contact types	300°
CaesarStone® 5133	Symphony Grey	All food contact types	300°
CaesarStone® 5134	Urban Safari	All food contact types	300°
CaesarStone® 5140	Dreamy Carrara	All food contact types	300°
CaesarStone® 5141	Frosty Carrina	All food contact types	300°
CaesarStone® 5143	White Attica	All food contact types	300°
CaesarStone® 5151	Empira White	All food contact types	300°
CaesarStone® 5161	Icellion	All food contact types	300°
CaesarStone® 5171	Arabetto	All food contact types	300°
CaesarStone® 5211	Noble Grey	All food contact types	300°
CaesarStone® 5212	Taj Royale	All food contact types	300°
CaesarStone® 5220	Dreamy Marfil	All food contact types	300°
CaesarStone® 5222	Sandstone	All food contact types	300°
CaesarStone® 5310	Brillianza	All food contact types	300°
CaesarStone® 5380	Emperadoro Dark	All food contact types	300°
CaesarStone® 5434	Grey	All food contact types	300°
CaesarStone® 5810	Black Tempal	All food contact types	300°
CaesarStone® 5820	Darcrest	All food contact types	300°
CaesarStone® 6003	Coastal Grey	All food contact types	300°
CaesarStone® 6011	Intense White (Maple)	All food contact types	300°
CaesarStone® 6041	Nordic Loft	All food contact types	300°
CaesarStone® 6046	Moorland Fog	All food contact types	300°
CaesarStone® 6100	Black Noir/Night Sky/Absolute Noir	All food contact types	300°
CaesarStone® 6131	Bianco Drift	All food contact types	300°
CaesarStone® 6134	Georgian Bluffs	All food contact types	300°
CaesarStone® 6141	Ocean Foam	All food contact types	300°
CaesarStone® 6270	Atlantic Salt	All food contact types	300°

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



---

CaesarStone® 6313	Turbine Grey	All food contact types	300°
CaesarStone® 6338	Woodlands	All food contact types	300°
CaesarStone® 6600	Nougat	All food contact types	300°
CaesarStone® 6611	Himalayan Moon	All food contact types	300°
CaesarStone® 7141	White Reflections/Nova Aurora	All food contact types	300°
CaesarStone® 9141	Ice Snow	All food contact types	300°

[1] Not intended for direct contact when used in storage applications.

[2] Splash zone items are also acceptable for use in non-food zones.

[3] Available in glossy or honed surface texture.

[4] Available in color designations 0001-7999 and 9001-9999.

[5] Available in color designations 8001-8999.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.